

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1672	(frequent frequenc\$3) with (search\$3 quer\$3) same (occur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:32
L2	97	(@ad < "20001711" @rlad < "20001711") AND ((web NEAR2 service) WITH (database data-base (data ADJ base))) AND ((search\$3 retriev\$3 quer\$4) WITH (term\$1 word\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:20
L4	24	(@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage) SAME (frequenc\$4 weight\$3 scor\$3)) AND ((search\$3 retriev\$3 quer\$4) WITH (match\$3) WITH ((best most highest) adj3 (rank\$3 weight\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:21
L5	3	I1 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:21
L6	410	(web near2 service\$1) same frequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:25
L7	39	((frequen\$3 history) adj database) with term\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:25
L8	9	"707"/\$.ccls. and "709"/\$.ccls. and ((frequent frequenc\$3) with (search\$3 quer\$3) same (occur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:33
L9	38	"707"/\$.ccls. and "709"/\$.ccls. and 705?\$.ccls. and (web adj3 service\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:22

L10	4525	(search\$3 and quer\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:22
L11	0	I10 and (filter\$3 distill\$3) with (history adj2 log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:23
L12	5	I10 and (filter\$3 distill\$3) and (history adj2 log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:23
S39	13180	web adj3 service\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:33
S41	24	((@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage) SAME (frequenc\$4 weight\$3 scor\$3)) AND ((search\$3 retriev\$3 quer\$4) WITH (match\$3) WITH ((best most highest) adj3 (rank\$3 weight\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:24
S42	17571	(frequent frequenc\$3) with (search\$3 quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:32
S43	225	S39 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:32
S44	832	(frequent frequenc\$3) with (search\$3 quer\$3) same (occur\$3) same time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:32

S45	1668	(frequent frequenc\$3) with (search\$3 quer\$3) same (occur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:19
S46	31	S39 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:33
S47	302	(@ad < "20001711" @rlad < "20001711") AND ((web NEAR2 service\$1) SAME (database data-base (data ADJ base) storage)) AND ((search\$3 quer\$3) WITH (match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:34